

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF DIONEX CORPORATION AND IS TO BE RETAINED IN CONFIDENCE. NOT TO BE REPRODUCED, COPIED OR INCORPORATED IN ANY PRODUCT.



DIONEX

DWG NO.

034741

REV

02

SHT.

1

OF

2

APPR

BE

DATE

8-31-92

MATERIAL SAFETY DATA SHEET

ONGUARD-H CARTRIDGE

DWG NO.
034741

REV
02

| REV | ECO NO. | BY | CHKD | DATE |
|-----|---------|----|------|---------|
| 02 | 10704 | CR | JW | 10-7-96 |
| 01 | 08512 | JW | JOL | 7-22-92 |



MATERIAL SAFETY DATA SHEET

Product Number:

039596

DIONEX Corporation
1228 Titan Way
P.O. Box 3603
Sunnyvale, California
94088-3603

Product Description:

OnGuard™ H Cartridge

Emergency Phone:
1-800-424-9300
Information Phone: (408) 481-4538 (CHEMTREC)
Date Prepared: August 05, 1996
Prepared By:

A handwritten signature in black ink, appearing to read 'Jim Colburn'.

The following information is believed to be accurate and is currently the best information available to us. However, we make no warranties, express or implied, with respect to the information supplied and we assume no liability resulting from its use.

SAFETY DATA: DIONEX OnGuard-H cartridges are nonhazardous components that will not expose personnel to hazardous breakdown products except in very extreme conditions outside the normal or recommended use of the cartridges (such a case would be a laboratory fire).

The OnGuard-H packing consists of cross-linked copolymers of divinylbenzene and styrene that have been functionalized with sulfonic acid groups to form cation exchangers. The packing itself occupies approximately 2/3 of the internal volume of the cartridge. The remaining void volume is filled with air. The cartridge body and the cartridge packing are not hazardous.

DIONEX MANUAL ORDERING INFORMATION

TITLE: Material Safety Data Sheet OnGuard-H Cartridge

DOCUMENT NUMBER: 800-034741 REV LEVEL: 02

QUANTITY: _____

ORDER DATE: 1-13-94

PRINTING INSTRUCTIONS:

SIZE: 8 1/2 x 11

PAPER: 20 lb.

COVER: N/A

NUMBER OF SHEETS: 1 NUMBER OF SIDES: 1

BLANKS: None HALF-TONES: None

PUNCH: _____

BINDING INSTRUCTION: _____

SPECIAL INSTRUCTIONS: _____

RECOMMENDED VENDOR: RST